Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	text\$2 adj5 description with resource with microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:23
L2	3	description with resource with microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:25
L3	2	specification with resource with microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:25
L4	191	data adj set with microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:31
L5	3685	configur\$3 with microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:32
L6	117	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:35
L7	27965	bit adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:34
L8	4075	interrupt adj vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:34
L9	0	. 6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:34

						
L10	0	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:34
L11	7165	hardware adj description	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:35
L12	0	6 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:35
S1	40	description adj4 hardware adj4 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:22
S2	0	description adj4 hardware adj4 resource adj6 extensible adj3 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:56
S3	18876	xml or (extensible adj markup adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:16
S4	37	(xml or (extensible adj markup adj language)) same ic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:03
S5	421	configur\$3 adj3 microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:16
S6	190	configur\$3 adj microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:09
S7	40	S1 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:05

S8	0	access\$3 adj5 description adj4 hardware adj4 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 06:49
S9	40	S1 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:06
S10	0	S1 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:06
S11	4310	description adj4 hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:06
S12	1	S6 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:11
S13	1	S6 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:07
S14	<u>4227</u>	hardware adj2 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:09
S15	4	S6 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR 	ON	2004/11/19 17:11
S16	9	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:31
S17	32986	acess\$3 sams description adj4 hardware adj4 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 06:49

S18	4	access\$3 same (description adj4 hardware adj4 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 06:54
S19	180	access\$3 same (description adj4 hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 06:54
S20	24	access\$3 same (description adj4 hardware) same circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 06:54
S21	40	description adj4 hardware adj4 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/11/30 13:19
S22	6366	user adj2 module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 13:19
S23	577	(user adj2 module) same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/11/30 13:20
S24	142	(user adj2 module) same configuration same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 13:20
S25	14	(user adj2 module) same configuration same select\$3 same hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:00
S26	2	"20030131334"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 13:50
S27		relationship and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 13:50

S28	1	rlc and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 13:50
S29	5523	microcontroller same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:09
S30	815	select\$3 same microcontroller same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:30
S31	10709	hdl ×	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:10
S32	8121	access\$3 adj5 hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:10
S33	5	S31 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:10
S34	69	select\$3 same microcontroller same configuration same hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:19
S35	. 45	generat\$3 same configuration same information same microcontroller same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 17:20
S36	17	(user adj2 module) same configuration same select\$3 same hardware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:02
S37	51325	microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:03

S38		S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:06
S39	2	"6578174".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:06
S40	23487	xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:06
S41	1	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:07
S42	. 1	ic and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/05/27 12:19
S43		dynamical\$2 same configur\$4 same microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:30
S44	. 66	dynamical\$2 same configur\$4 same microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:30
S45	818	select\$3 same microcontroller same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:31
S46	9	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 11:09
S47	2375	access\$3 adj4 description	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:41

S48	0	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:41
S49 ⁻	2	"6880132"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:50
S50	1	"6880137 "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 07:50
S51	66	dynamical\$2 same configur\$4 same microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 11:09
S52	818	select\$3 same microcontroller same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 11:09
S53	9	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 11:10
S54	2	text and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 11:11
S55	0	vector and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2005/06/01 11:11
S56	972	(716/16-17).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:29
S57	3451	(326/37-41).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:30

				·	1	,
S58	59950	microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:30
S59	3764	interrupt adj vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:30
S60	587	interrupt adj vector adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:31
S61	1302	decription	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:33
S62	688842	dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:36
S63	4060	dynamic\$4 adj configur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:32
S64	294	S58 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 08:33
S66	8664289	description	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:33
S67	291	S66 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:34
S68	3	S59 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:34

S69	19	dynamic\$4 near configur\$4 near block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:37
S70	288	configur\$3 adj microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:09
S71	3	acess\$3 adj5 description	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:09
S72	0	description with dynamic\$4 with configur\$3 with text\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:16
S73	696	configur\$4 adj3 microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:16
S74	139	description with configur\$3 with text\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:16
S75		S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/08/14 14:16
S76	36544	xml or (extensible adj markup adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:17
S77	18	S73 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:30
S78	1479	(716/1).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:29

S79	445	(712/32,247).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:29
S80	49667	access\$3 with description	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:31
S81	2	S77 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:31

Page 10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46	"6460172"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:08
L2	18	description and language and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:00
L3	5	vector and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 09:43
L4	24	microcontroller and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:00
L5	2	"6460172".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:08
L6	1	microcontroller and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/25 10:08
L7	1	description and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:16
L8	3685	configur\$3 with microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:26

1/25/07 10:27:53 AM Page 1

L9	33963	configuration adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:17
L10	34455	configuration adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:18
L11	127719	select\$3 with "configurations"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:18
L12	9417	9 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:19
L13	61109	9 or 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:19
L14	9417	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:20
L15	10772690	description	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:20
L16	5610	text\$2 adj2 description	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:21

Page 2

L17	9201	14 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:21
L18	207	14 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/25 10:21
L19	1015	configur\$3 adj5 microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:26
L20	3	19 and 16 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 10:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L1	0	(configur\$3 and microcontroller and select\$3 and description and configurations and hardware and resource).clm.	US-PGPUB; USPAT	OR	ON	2007/01/25 10:29

1/25/07 10:29:45 AM Page 1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(configur\$3 and microcontroller and text\$2 and description and access\$3 and hardware and resource and select\$3 and configuration and interrupt and vector).clm.	US-PGPUB; USPAT	OR	ON	2007/01/25 09:39

1/25/07 9:39:17 AM Page 1